





1401 St. Charles Road
Maywood, IL 60153



NOVEMBER VALUES FROM



AETNA
PLYWOOD

Pricing good through 11/30/11 or while supplies last.

Kirei WheatBoard

clean, green MDF



Kirei WheatBoard is the answer to formaldehyde-emitting wood MDF products. With working characteristics meeting and often surpassing those of commercially available MDF or particle board, plus renewable source materials and non-toxic adhesives, Kirei WheatBoard gives you a clean slate to build what your mind designs. Projects and products can receive **LEED™** credit for rapidly renewable material, recycled content, and indoor air quality.

Use **Kirei WheatBoard** in architectural, millwork and finished product applications:

- | | |
|------------------------|-----------------|
| Architectural Millwork | Interior Design |
| Wall Covering | Cabinetry |
| Retail Displays | Flooring |
| Furniture | Restaurant |
| Finished Products | Hotel |

IT'S WHAT'S INSIDE.

Now Stocking in
(12.7mm) 1/2" 48x96
(19.1mm) 3/4" 48x96



For Sales & Product Information
Aetna Plywood
1401 St. Charles Road
Maywood, IL 60153
TEL: 708-343-1515
www.aetnaplywood.com
johnchlebek@aetnaplywood.com



PREMIER® FIRE RATED MDF

When you need a flame-retardant MDF solution for your paneling, cabinetry, shelving, trim and furniture needs, Flakeboard Premier® FR MDF is best in class. Our Class A/Class 1 rated fire-retardant MDF panels are ideal for interior, non-structural use in public areas such as schools, hotels, hospitals and restaurants.

Premier® FR MDF's design flexibility and workability make it an ideal choice for a variety of applications

Flakeboard Premier® FR MDF delivers:

- Smooth surface properties for painting or laminating
- Dense, flat surfaces for easy machining
- Uniform fibre distribution and texture
- Sharp edges and strong internal bond
- Good acoustical dampening properties
- The right thickness for thick board applications

Aetna Plywood stocks an extensive inventory of PREMIER® FIRE RATED MDF

Stocked Sizes				
3/8"	4 x 8'			
1/2"	4 x 8'	5 x 8'	4 x 10'	
5/8"	4 x 8'			
11/16"	4 x 8'	5 x 8'	4 x 10'	5 x 10'
3/4"	4 x 8'	5 x 8'	4 x 10'	5 x 10'

Other sizes and thicknesses may also be available — *Please call*

- FSC certified is also available
- Please refer to manufacturer's Specifications and Product Limitations prior to using this product

USAGE NOTES

Some laminates and coatings applied to Premier® FR MDF may change the flame spread rating. Standard available woodworking glues have been successfully used in lamination. Any adhesive should be tested for compatibility with the chemical system in Premier® FR MDF prior to full-scale gluing. Questions should be directed to the glue supplier.

D.R.I.V.E.™ Dedication • Resource • Inventory • Value-added • Experience

FOR INFORMATION, CONTACT YOUR AETNA PLYWOOD REPRESENTATIVE AT 708-343-1515

FAX YOUR ORDERS TO (WOOD) 708-343-1616 OR (LAMINATE) 708-343-1333.



FIBREX® | thin high density fiberboard

THE VERSATILE PERFORMER THAT'S MADE TO LAST

When it comes to versatility and performance, FIBREX® thin high density fiberboard from Flakeboard offers the best of both worlds. Utilizing continuous press technology, we're able to offer one of the widest selections of quality, sizes and finishes you'll find anywhere.

Various grades available:

- FIBREX® (standard) **In Stock***
- FIBREX® VESTA (no added urea-formaldehyde resin) **In Stock***
- FIBREX® LF (low formaldehyde, California ARB Phase II Compliant) **In Stock***
- FIBREX® FR* (fire-rated door skin)
- FIBREX® PG (print finish/wet coatings grade)
- FIBREX® Plus (high density)

* FIBREX® FR used in conjunction with a Georgia Pacific mineral core is certified for use as a cross band with wood veneer faces in 20 to 90 minute neutral pressure and positive pressure fire rated doors (single swing and pairs (standard and double egress)) and complies with UBC 7-2-1994, UBC 7-2-1997, CAN4 S104, NFPA 252, UL10B and UL10C standards.

Flakeboard FIBREX® fiberboard offers:

- A broad range of thicknesses (1.6mm to 6.35mm)
- A selection of widths (48" to 50", 59" to 62") and lengths (72" to 99.5", 101" to 148")
- Hundreds of finishes, including paint, decorative paper, TFM (thermally fused melamine) and direct print
- Specialty options such as cut-to-size and pegging

Property	Thickness ¹	FIBREX®, FIBREX® VESTA, and FIBREX® PG Average Values	FIBREX® LF Average Values	FIBREX®, FIBREX® VESTA, FIBREX® PG and FIBREX® LF Specifications	FIBREX® Plus and FIBREX® FR Average Values	FIBREX® Plus and FIBREX® FR Specifications
Density (lbs/ft ³)**	< 0.118"	56.8	57.4	>54.3	61.8	>60.0
	0.118" to 0.154"	56.2	56.8	>53.7	61.2	>60.0
	> 0.154"	56.2	56.2	>53.0	60.5	>60.0
IB (psi)	< 0.118"	240	290	>150	290	>230
	0.118" to 0.154"	215	270	>150	270	>230
	> 0.154"	185	250	>130	265	>230
MOR (psi)	< 0.118"	6,600	7,100	>5,500	8,500	>6,800
	0.118" to 0.154"	6,500	7,000	>5,400	7,700	>6,800
	> 0.154"	6,200	6,800	>5,000	7,400	>6,800
Moisture Content ¹ (% d.b.)	< 0.118"	5.0	5.1	4 to 9	5.1	4 to 9
	0.118" to 0.154"	5.3	5.1	4 to 9	5.1	4 to 9
	> 0.154"	5.6	5.8	4 to 9	5.8	4 to 9
Linear Expansion ² (%)	All	0.25	0.25	≤ 0.30	0.25	≤ 0.30
Thickness Raw (in)	All	+/- 0.008	+/- 0.008	+/- 0.008	+/- 0.008	+/- 0.008
Thickness Sanded (in)	All	+/- 0.004	+/- 0.004	+/- 0.004	+/- 0.004	+/- 0.004
Length Tolerance (in)	All	+/- 1/8	+/- 1/8	+/- 1/8	+/- 1/8	+/- 1/8
Width Tolerance (in)	All	+/- 1/16	+/- 1/16	+/- 1/16	+/- 1/16	+/- 1/16
Squareness Tolerance (in)	All	+/- 5/32	+/- 5/32	+/- 5/32	+/- 5/32	+/- 5/32
Formaldehyde Emissions ³ (ppm)	All	0.15 ⁴	0.09 ⁵	FIBREX® 0.21, FIBREX® VESTA 0.21, FIBREX® PG ⁴ 0.21, FIBREX® LF ⁵ 0.13		

** Metric values available. The above properties are based on averages of normal production at time of shipment. Non-specified physical properties may be available upon request. Note that thickness¹ are quoted in the unsanded state.

¹ Dry basis at 65% RH, 20° C. Tested in accordance with ASTM D 1037-99 section 6 and 121. The moisture of the panel will change with ambient conditions.

² Linear expansion measured between 50% and 80% RH in accordance with ASTM D 1037-99.

³ Tested in accordance with ASTM E 1333-96 at 0.26 m²/m³ (0.08 ft²/ft³) loading ratio.

⁴ Complies with CPA EPPS 3-08, ANSI A208.2-2009, CCR 93120.2 (California ARB Composite Wood ATCM) Phase 1, IKEA MAT-IOS-0003 version AA-10899-8 Table 2.2 P1 Formaldehyde Emission Limits.

⁵ Complies with CPA EPPS 3-08, ANSI A208.2-2009, CCR 93120.2 (California ARB Composite Wood ATCM) Phase 1 and Phase 2, IKEA MAT-IOS-0003 version AA-10899-8 Table 2.2 P1 AND P2 Formaldehyde Emission Limits.

- Look for FSC® certified products
- Product suitability for a particular application is the responsibility of the fabricator or end user
- Material Safety Data Sheets are available upon request
- All panels are approved for use in interior, non-structural applications
- Contains 100% Recycled/Recovered Wood Content

CALIFORNIA PROPOSITION 65 REQUIREMENT

Warning: Drilling, sawing, sanding or machining wood products generates wood dust, a substance known to the State of California to cause cancer. Avoid inhaling wood dust or use a dust mask or other safeguards for personal protection.



FIBREX® | thin high density fiberboard

www.flakeboard.com 1.800.268.9830

R20110802

STOCK LUMBER ITEMS



Cabinet Face Frame

Soft White Maple

25/32 x 1-3/4" S4S - \$.53/LF

25/32 x 3-1/4" S4S - \$.90/LF

25/32 x 3-1/2" S4S - \$.93/LF

25/32 x 5-9/16" S4S - \$1.35/LF

25/32 x 7-3/16" S4S - \$1.88/LF

* Random Lengths * Select & Better Grade



HARDWOOD LUMBER SURPLUS SPECIALS

ITEM	DESCRIPTION	PCS	PRICE*
18 09 433	25/32 x 1-3/4 S4S Cherry LF	2,288	\$0.89
18 09 436	25/32 x 2-1/2 S4S Cherry LF	980	\$1.35
18 09 439	25/32 x 3-1/2 S4S Cherry LF	960	\$2.22
18 09 449	25/32 R2E Cherry 7-8' BF	843	\$4.10
18 10 424	25/32 x 2-3/8 S4S Clear Red Alder LF	8,636	\$0.81
18 10 425	25/32 x 1-3/4 S4S Clear Red Alder LF	5,239	\$0.79
18 10 426	25/32 x 2-1/2 S4S Clear Red Alder LF	1,160	\$0.79
18 10 427	25/32 x 3-1/2 S4S Clear Red Alder LF	171	\$0.81
18 11 429	25/32 x 2-3/8 S4S Sap White Birch LF	2,608	\$0.87
18 11 431	25/32 x 3-1/2" S4S Sap White Birch LF	1,520	\$1.58
18 11 433	25/32 x 2-1/2 S4S Sap White Birch LF	1,428	\$1.22
18 11 435	25/32 x 1-3/4 x 8' S4S Sap White Birch LF	10,790	\$0.77
18 11 208	4/4 S&B Sap White Birch 6'-8' BF	4,893	\$2.86
18 11 399	4/4 #1 Com Sap White Birch BF	2,945	\$1.87
18 11 407	25/32 R2E Sap White Birch BF	1,784	\$3.10



Need to move Birch - call us with an offer!

*All items are subject to availability—subject to prior sale

Aetna Plywood-Maywood, IL.

(708) 343-1515

Don't See Something You Need? — Call Us!

Pricing good through November 30, 2011 as supplies last.

***D.R.I.V.E.*™ Dedication • Resource • Inventory • Value-added • Experience**

FOR INFORMATION, CONTACT YOUR AETNA PLYWOOD REPRESENTATIVE AT 708-343-1515

FAX YOUR ORDERS TO (WOOD) 708-343-1616 OR (LAMINATE) 708-343-1333.

OVER RUN SPECIALS

SHELVING & VERTICALS

SPECIALS	ITEM	BUNDLE*	PRICE
44 15 200	3/4" 12 x 97 WF 275 Hardrock Maple Shelf	42	\$ 8.85 ea.
44 15 202	3/4" 12 x 96 WF 275 Hardrock Maple Vertical End	36	\$ 13.15
44 15 203	3/4" 16 x 96 WF 275 Hardrock Maple Vertical End	36	\$ 15.05
44 20 200	3/4" 12 x 97 WF 228 Sable Glow Shelf	44	\$ 10.15
44 20 201	3/4" 16 x 97 WF 228 Sable Glow Shelf	82	\$ 12.25
44 20 202	3/4" 12 x 96 WF 228 Sable Glow Vertical End	36	\$ 14.90
44 20 203	3/4" 16 x 96 WF 228 Sable Glow Vertical End	36	\$ 17.55

*minimum 20 pc mix

HIGH PRESSURE LAMINATE PANELS

SPECIALS	ITEM	BUNDLE**	PRICE
57 99 160	3/4" 49 x 97 beige abstract pattern 1 side, backer 1 side, NAUF PB core	27	\$ 15.00 ea.
57 99 108	15/16" 49 x 97 angel white, 2 sides, PB core	95	\$ 18.00
57 99 100	11/16" 61 x 97 neutral abstract pattern 1 side, backer 1 side, PB core	8	\$ 18.00 ea.
57 99 103	3/8" 48 x 96 black face, raw back, plywood core	12	\$ 10.00 ea.

**minimum 12 pc mix

**OR
BEST
OFFER**

ALL GRADE "A" MATERIAL

Pricing good through November 30, 2011 as supplies last.

D.R.I.V.E. Dedication • Resource • Inventory • Value-added • Experience

FOR INFORMATION, CONTACT YOUR AETNA PLYWOOD REPRESENTATIVE AT 708-343-1515
FAX YOUR ORDERS TO (WOOD) 708-343-1616 OR (LAMINATE) 708-343-1333.

PLYWOOD SPECIALS

PERFECT PANELS FOR YOUR MANY UTILITY NEEDS

Tropical Hardwoods

CODE	Size	Item	Unit Size	PCS	1-2 Units	2+ Units
51 08 473	5.2mm 4 x 8	Okoume BB/CC	180	\$10.10 ea	\$ 9.50 ea.	\$ 9.15 ea.
51 08 421	5.2mm 4 x 8	"Real" Meranti BB/CC Ext.	115	\$12.85	\$12.15	\$11.75
51 14 473	12mm 4 x 8	Okoume BB/CC	60	\$21.30	\$20.00	\$19.00
51 22 483	18mm 4 x 8	Bintangor BB/CC	50	\$26.40	\$24.50	\$23.80
51 22 418	18mm 4 x 8	Meranti BB/CC Lumber Core	50	\$26.40	\$24.50	\$23.80
51 22 480	18mm 4 x 8	Obeche	35	\$28.50	\$26.50	\$25.80

CDX

CODE	Size	Item	Unit Size	PCS	1-2 Units	3+ Units
04 08 449	1/4" 4 x 8	SYP CDX	108	\$11.20	\$10.30 ea.	\$10.00 ea.
04 14 501	1/2" 4 x 8	SYP CDX Shop	70	\$10.65	\$ 9.80	\$ 9.45
04 22 443	18mm 4 x 8	Pine CDX	46	\$21.50	\$19.90	\$19.25

Basswood

CODE	Size	Item	Unit Size	PCS	1 Units	2+ Units
09 22 515	3/4" 4 x 8	Basswood B/B VC	40	\$ 40.95	\$37.50 ea.	\$36.15 ea.
09 14 515	1/2" 4 x 8	Basswood B/B VC	60	\$ 36.80	\$34.50	\$32.40

Chinese Birch & Oak Plywood

CODE	Size	Item	Unit Size	PCS	1 Units	2+ Units
06 14 473	12mm 4 x 8	Birch C-3 WPF VC	68	\$ 21.50	\$20.00 ea.	\$19.00 ea.
06 22 473	18mm 4 x 8	Birch C-2 WPF VC	50	\$ 27.90	\$25.90	\$24.90
05 22 973	18mm 4 x 8	PS Red Oak C/2 VC	50	\$ 46.00	\$42.80	\$41.50

Pricing good through November 30, 2011 as supplies last.

***D.R.I.V.E.*™ Dedication • Resource • Inventory • Value-added • Experience**


FOR INFORMATION, CONTACT YOUR AETNA PLYWOOD REPRESENTATIVE AT 708-343-1515

FAX YOUR ORDERS TO (WOOD) 708-343-1616 OR (LAMINATE) 708-343-1333.

Wiggle Wood®

FLEXIBLE • LIGHT WEIGHT

Wigglewood® provides maximum flexibility to conform to many shapes. It has numerous applications and capabilities for many industries. An easy to use panel which can be used on the job-site with no special tools.



Wiggle Wood® Import Bending Panel SPECIALS

CODE	ITEM	PCS/Unit	PRICE		
			Pcs.	1/2 Unit	Unit
51 02 446	3.0mm 8x4 (4' high) Lite Ply Poplar 3ply	100	.70/SF	.67/SF	.63/SF
51 02 448	3.0mm 4x8 (8' high) Lite Ply Poplar 3ply	100	.70	.67	.63
51 02 440	3.0mm 10x4 (4' high) Lite Ply Poplar 5ply	100	.80	.77	.73
51 12 445	8mm 8x4 (4' high) Wigglewood 5ply	100	.89	.85	.81
51 12 448	8mm 4x8 (8' high) Wigglewood 5ply	100	.89	.85	.81
51 12 446	9mm 8x4 (4' high) Wigglewood 5ply	100	.89	.85	.81

Pricing good through November 30, 2011 as supplies last.

D.R.I.V.E.™ Dedication • Resource • Inventory • Value-added • Experience

FOR INFORMATION, CONTACT YOUR AETNA PLYWOOD REPRESENTATIVE AT 708-343-1515

FAX YOUR ORDERS TO (WOOD) 708-343-1616 OR (LAMINATE) 708-343-1333.

WILSONART COMMODITY VALUES — ON SALE!

- **EVERYDAY LOW PRICING**
- **HUGE INVENTORY**
- **VERTICAL & STANDARD GRADE, 10 SIZES TO CHOOSE FROM**
- **NO MINIMUM ORDER**
- **NEXT DAY DELIVERY**

Wild Cherry 7054-60

Limber Maple 10734-60

Fusion Maple 7909-60

Antique White 1572-60

Frosty White 1573-60

Almond D30-60

Black 1595-60

Kensington Maple 10776-60

Designer White D354-60

Fashion Grey D381-60

Graphite Nebula 4623-60

Grey Nebula 4622-60

Aetna's "everyday low pricing" will reduce your costs!

Your everyday low pricing	Vertical Grade 4' x 8'	Standard Grade — all sizes
1-20 pieces	\$.74 psf	\$.84 psf
21-99 pieces	\$.70 psf	\$.80 psf
100+ pieces	\$.67 psf	\$.76 psf

You can even "mix and match" colors, sizes, and grades for lowest pricing

BASIC—VALUE LINER/LAMINATE



25-49 pcs @ 36 cents psf
 50-99 @ 33 cents
 100-399 @ 31 cents
 400 pc skid @ 29 cents

(White, Bright White, Black, Almond and Grey)

Wilsonart®
High Definition Laminate



Twenty-first century science and design have come together to create a totally new surface with a perception of depth that has never been possible in laminate before. Customers notice the difference in look and feel, and are pleasantly surprised at the durability and affordability (thanks to **AEON™ Enhanced Performance technology**) when compared to other luxury countertop materials. Go to www.wilsonarthd.com for more information.



Pricing good through November 30, 2011 as supplies last.

D.R.I.V.E.™ Dedication • Resource • Inventory • Value-added • Experience

FOR INFORMATION, CONTACT YOUR AETNA PLYWOOD REPRESENTATIVE AT 708-343-1515

FAX YOUR ORDERS TO (WOOD) 708-343-1616 OR (LAMINATE) 708-343-1333.

GUARANTEED LOW PRICES

Are you paying too much for Wood Assembly Glue?

High-Strength Wilsonart Wood Assembly WA30 is a lot less expensive than Titebond® Original.

You Will Save up to \$15 per pail or more when you switch from Titebond® Original to WA30.

	Wilsonart 30	Titebond® Original
Color	yellow	yellow
Dries	Clear	Translucent
Solids content	47%	46%
Low V.O.C. content	Yes	Yes
Fast-setting	Yes	Yes
Non - flammable	Yes	Yes
Fluorescent Dye ¹	Yes	No
GREENGUARD Certified ²	Yes	No
LEED Credits ²	Yes	??? ???
Complies with OTC ³	Yes	??? ???
Complies with SCAQMD ⁴	Yes	??? ???

Titebond® is a registered trademark of Franklin International

- 1) Fluorescent dye is included in WA30 at no additional charge. This allows you to use a blacklight for easier viewing and removal of excess adhesive when wet.
- 2) GREENGUARD Certification and contributing to LEED Credits are requirements for many commercial projects. See Credit 3.2 and 4.1 and 4.4 for WA contributions.
- 3) The Qzone Transportation Commission was created under the Clean Air Act responsible for advising EPA on transport issues related to ground-level ozone.
- 4) The Air Quality Management District is the air pollution control agency for all of Orange County California.

BEING SMART  BEING WILSONART SMART

D.R.I.V.E.™ *Dedication • Resource • Inventory • Value-added • Experience*

**FOR INFORMATION, CONTACT YOUR AETNA PLYWOOD REPRESENTATIVE AT 708-343-1515
FAX YOUR ORDERS TO (WOOD) 708-343-1616 OR (LAMINATE) 708-343-1333.**